



गणित MATHEMATICS



निर्धारित समय : 2 घण्टे Time allowed : 2 hours अधिकतम अंक : 40 Maximum Marks : 40

सामान्य निर्देशः

निम्नलिखित निर्देशों को बहुत सावधानी से पढ़िए और उनका सख़्ती से पालन कीजिए :

- (i) इस प्रश्न-पत्र के तीन खण्ड हैं खण्ड क, ख तथा ग ।
- (ii) प्रत्येक खण्ड अनिवार्य है ।
- (iii) खण्ड क में 6 लघु उत्तर I प्रकार के प्रश्न हैं जिनमें प्रत्येक के 2 अंक हैं।
- (iv) खण्ड ख में 4 लघु उत्तर II प्रकार के प्रश्न हैं जिनमें प्रत्येक के 3 अंक हैं।
- (v) खण्ड ग में 4 दीर्घ-उत्तरीय प्रकार के प्रश्न हैं जिनमें प्रत्येक के 4 अंक हैं।
- (vi) कुछ प्रश्नों में आंतरिक विकल्प दिया गया है।
- (vii) प्रश्न सं. 14 एक प्रकरण-अध्ययन आधारित प्रश्न है जिसमें दो भाग हैं । प्रत्येक भाग के 2 अंक हैं ।

खण्ड क

प्रश्न संख्या 1 से 6 तक प्रत्येक प्रश्न के 2 अंक हैं ।

- रेखा PQ जो बिन्दुओं P(2, 2, 1) तथा Q(5, 1, 2) से गुज़रती है, का कार्तीय समीकरण लिखिए । अतः रेखा PQ पर उस बिन्दु का y-निर्देशांक ज्ञात कीजिए जिसका z-निर्देशांक - 2 है ।
- 2. एक विशेष प्रश्न को A और B द्वारा स्वतंत्र रूप से हल करने की प्रायिकताएँ क्रमश: $\frac{2}{3}$ और $\frac{3}{5}$ हैं । यदि दोनों स्वतंत्र रूप से प्रश्न को हल करने की कोशिश करते हैं, तो प्रश्न के हल हो जाने की प्रायिकता ज्ञात कीजिए ।
- पासों के एक युग्म को उछाला गया । दोनों पासों पर आई संख्याओं का योगफल एक सम संख्या है । कम-से-कम एक पासे पर संख्या 3 आने की प्रायिकता ज्ञात कीजिए ।
- 4. दो मात्रक सदिशों \overrightarrow{a} और \overrightarrow{b} के लिए $|2\overrightarrow{a} + 3\overrightarrow{b}| = |3\overrightarrow{a} 2\overrightarrow{b}|$ है। \overrightarrow{a} तथा \overrightarrow{b} के बीच का कोण ज्ञात कीजिए।
- 5. अवकल समीकरण

$$\left\lfloor \frac{\mathrm{d}}{\mathrm{d}x}(xy^2) \right\rfloor \cdot \frac{\mathrm{d}y}{\mathrm{d}x} + y = 0$$

की कोटि और घात का गुणनफल ज्ञात कीजिए।

2

2

2

2

2

65/2/3

Page 2 of 7

General Instructions :

Read the following instructions very carefully and strictly follow them :

- (i) This question paper contains three sections Section A, B and C.
- (ii) Each section is compulsory.
- (iii) Section A has 6 short answer type I questions of 2 marks each.
- (iv) Section B has 4 short answer type II questions of 3 marks each.
- (v) Section C has 4 long answer type questions of 4 marks each.
- (vi) There is an internal choice in some questions.
- (vii) Question no. 14 is a case-study based question with 2 sub-parts of 2 marks each.

SECTION A

Questions number 1 to 6 carry 2 marks each.

- 1. Write the cartesian equation of the line PQ passing through points P(2, 2, 1) and Q(5, 1, -2). Hence, find the y-coordinate of the point on the line PQ whose z-coordinate is -2.
- 2. Probabilities of A and B solving a specific problem are $\frac{2}{3}$ and $\frac{3}{5}$, respectively. If both of them try independently to solve the problem, then find the probability that the problem is solved.
- **3.** A pair of dice is thrown. It is given that the sum of numbers appearing on both dice is an even number. Find the probability that the number appearing on at least one die is 3.
- 4. \overrightarrow{a} and \overrightarrow{b} are two unit vectors such that $|2\overrightarrow{a} + 3\overrightarrow{b}| = |3\overrightarrow{a} 2\overrightarrow{b}|$. Find the angle between \overrightarrow{a} and \overrightarrow{b} .

5. Find the product of the order and the degree of the differential equation $\left[\frac{d}{dx}(xy^2)\right] \cdot \frac{dy}{dx} + y = 0.$

Page 3 of 7

Р.Т.О.

2

2

2

2

2

6. (क) ज्ञात कीजिए :

$$\int \frac{\sqrt{\cot x}}{\sin x \cos x} \, \mathrm{d}x$$

(ख) ज्ञात कीजिए :

$$\int \frac{1}{x (x^2 + 4)} dx$$
2

खण्ड ख

प्रश्न संख्या 7 से 10 तक प्रत्येक प्रश्न के 3 अंक हैं ।

7.	(क) मान ज्ञात कीजिए :	3
	$\int_{0}^{1} \tan^{-1} x dx$ अथवा	
	(ख) ज्ञात कीजिए :	3
	$\int \frac{2x}{x^2 + 3x + 2} \mathrm{d}x$	
8.	(क) बिन्दुओं (2, 1, 0), (3, – 2, – 2) और (1, 1, – 7) से गुज़रने वाले समतल का	
	समीकरण ज्ञात कीजिए । इस समतल की मूल-बिन्दु से दूरी भी ज्ञात कीजिए ।	3
	अथवा	
	(ख) रेखाओं $x = \frac{y-1}{2} = \frac{z-2}{3}$ तथा $x + 1 = \frac{y+2}{2} = \frac{z-1}{3}$ के बीच की दूरी ज्ञात कीजिए ।	0
9.	ज्ञात कार्जिए । निम्नलिखित अवकल समीकरण हल कीजिए :	3 3
9.	$(1 + e^{y/x}) dy + e^{y/x} \left(1 - \frac{y}{x}\right) dx = 0$	J
10.	यदि $\overrightarrow{a} = \overrightarrow{i} - \overrightarrow{j} + \overrightarrow{k}$ और $\overrightarrow{b} = 2\overrightarrow{i} - \overrightarrow{j} - 3\overrightarrow{k}$ दो सदिश हैं, तो सदिश \overrightarrow{c} ज्ञात	
	कीजिए, जिसके लिए $\overrightarrow{a} \times \overrightarrow{c} = \overrightarrow{b}$ और $\overrightarrow{a} \cdot \overrightarrow{c} = 4$ दिया गया है।	3
65/2/3	3 Page 4 of 7	

6. (a) Find :

 $\int \frac{\sqrt{\cot x}}{\sin x \cos x} \, dx$

OR

(b) Find:

$$\int \frac{1}{x (x^2 + 4)} dx$$
2

2

SECTION B

Questions number 7 to 10 carry 3 marks each.

7. (a) **Evaluate**: \mathcal{B} $\int \tan^{-1} x \, dx$ OR (b) Find : \mathcal{B} $\int \frac{2x}{x^2 + 2x + 2} dx$ Find the equation of the plane passing through points (2, 1, 0), 8. (a) (3, -2, -2) and (1, 1, -7). Also, obtain its distance from the origin. 3 OR Find the distance between the lines $x = \frac{y-1}{2} = \frac{z-2}{3}$ $x+1 = \frac{y+2}{2} = \frac{z-1}{3}$. and (b) \mathcal{B} Solve the following differential equation : 3 9. $(1 + e^{y/x}) dy + e^{y/x} \left(1 - \frac{y}{x}\right) dx = 0$ If \overrightarrow{a} and \overrightarrow{b} are two vectors such that $\overrightarrow{a} = \overrightarrow{i} - \overrightarrow{j} + \overrightarrow{k}$ and 10. $\vec{b} = 2\hat{i} - \hat{j} - 3\hat{k}$, then find the vector \vec{c} , given that $\vec{a} \times \vec{c} = \vec{b}$ and \overrightarrow{a} . \overrightarrow{c} = 4. \mathcal{B} Page 5 of 7 P.T.O. 65/2/3



खण्ड ग

प्रश्न संख्या 11 से 14 तक प्रत्येक प्रश्न के 4 अंक हैं ।

11. मान ज्ञात कीजिए :

$$\int_{0}^{1} x (1-x)^{n} dx$$

12. (क) समाकलन के प्रयोग से, वक्र $4x^2 + 4y^2 = 9$ और रेखा 2x + 2y = 3 के बीच घिरे लघु क्षेत्र का क्षेत्रफल ज्ञात कीजिए।

अथवा

- (ख) यदि वक्र $y^2 = 4ax$ और रेखा x = 4a से घिरे क्षेत्र का क्षेत्रफल $\frac{256}{3}$ वर्ग इकाई है, तो समाकलन के प्रयोग से a, जहाँ a > 0, का मान ज्ञात कीजिए। 4
- 13. उस बिन्दु के निर्देशांक ज्ञात कीजिए जहाँ बिन्दुओं (5, 1, 6) तथा (3, 4, 1) से गुज़रती रेखा
 zx-समतल को काटती है ।

प्रकरण-अध्ययन आधारित प्रश्न

14. किसी भी क्रिकेट के मैच के आरम्भ में, एक सिक्का उछाला जाता है और जो टीम टॉस जीतती है उसे बल्लेबाजी या गेंदबाजी चुनने का मौका मिलता है । ऐसा सिक्का अनभिनत होता है जिसमें चित और पट के आने की प्रायिकताएँ समान होती हैं ।



उपरोक्त सूचना के आधार पर, निम्नलिखित प्रश्नों के उत्तर दीजिए :

- (क) यदि ऐसा सिक्का 2 बार उछाला जाए, तो पटों की संख्या के लिए प्रायिकता बंटन ज्ञात कीजिए ।
- (ख) ऐसे सिक्के को 3 बार उछालने पर कम-से-कम एक चित आने की प्रायिकता ज्ञात
 कीजिए।

2

2

4

4

4

65/2/3



SECTION C

Questions number 11 to 14 carry 4 marks each.

11. Evaluate :

$$\int_{0}^{1} x (1-x)^{n} dx$$


12. (a) Using integration, find the area of the smaller region enclosed by the curve $4x^2 + 4y^2 = 9$ and the line 2x + 2y = 3.

OR

- (b) If the area of the region bounded by the curve $y^2 = 4ax$ and the line x = 4a is $\frac{256}{3}$ sq. units, then using integration, find the value of a, where a > 0.
- 13. Find the coordinates of the point where the line through (5, 1, 6) and (3, 4, 1) crosses the zx-plane.

Case-Study Based Question

14. At the start of a cricket match, a coin is tossed and the team winning the toss has the opportunity to choose to bat or bowl. Such a coin is unbiased with equal probabilities of getting head and tail.



Based on the above information, answer the following questions :

- (a) If such a coin is tossed 2 times, then find the probability distribution of number of tails.
- (b) Find the probability of getting at least one head in three tosses of such a coin.

2

4

4

4

4

2